



Weighing Technology

A Higher Level of Precision...A Higher Level of Performance

APM
SERIES

NTEP/Measurement Canada Approved Portable Bench Scale

- Economical
- Light weight
- NTEP Approved
- Large Backlit Display
- Versatile



Manufactured by an ISO 9001 certified company.



Model	APM-15	APM-30	APM-60	APM-150
Capacity	15 kg / 30 lb	30 kg / 60 lb	60 kg / 150 lb	150 kg / 300 lb
Readability	0.005 kg / 0.01 lb	0.01 kg / 0.02 lb	0.02 kg / 0.05 lb	0.05 kg / 0.1 lb
Divisions	3,000			
Weighing Units / Functions	kg, lb			
Stabilization Time (seconds)	< 1.5			
Tare Range	4.995 kg	9.99 kg	19.98 kg	49.95 kg
Power Source	Built-in rechargeable battery or external power adapter (included)			
Construction	Stainless steel pan and ABS housing			
Display	1 inch / 25.4 mm wide viewing angle backlit LCD			
Platform Size (W x D x H)	11 x 13 x 4.13 inches / 280 x 330 x 105 mm			
Overall Dimensions (W x D x H)	Platform mounted indicator: 11 x 16.5 x 4.1 inches / 280 x 420 x 105 mm With pillar: 11 x 13 x 24.8 inches / 280 x 330 x 630 mm			
Operating Environment	32° ~ 104° F non condensing R.H. ≤ 85%			
Net Weight	13.4 lb / 6.1 kg			
Shipping Weight	16 lb / 7.3 kg			
Approvals	NTEP CoC # 03 - 055, Measurement Canada Approval # AM-5544			
Options	All stainless steel pillar, Transport kit Note: Non-NTEP Approved PM series models available with lb : oz by special order			

APM Series



Features

- Large LCD display with backlight
- Heavy duty construction
- Light weight
- Low profile
- Reads in kilograms and pounds
- Built-in rechargeable battery or external power adapter
- Zero tracking
- Automatic power save
- Low battery indicator
- Easy calibration function
- Adjustable feet
- Options for display: platform, pillar or wall mounted (3 ft of cable supplied)
- Selectable auto tare function
- Gravitational correction software

Benefits

- Gives excellent readability in sunlight, ideal for outdoor use
- Will withstand harsh industrial operation
- Ideal for portability, only 13.4 lb
- Easy to load and unload platform - only 4.1 inches / 105 mm high
- Flexibility of operation
- Portability - battery lasts a minimum of 150 hours (without backlight)
- Assures that you always start weighing at zero
- Conserves battery power
- Alerts you to charge the battery, saving downtime
- Ensures accuracy
- Balance remains level for accurate results on uneven working surfaces - Anti-slip
- Flexibility of operation and position
- Allows the first article on the platter to be automatically tared
- Enables you to input different G acceleration factors